

WEST Search History for Application 10674577

Creation Date: 2008121719:12

Query	DB	Op.	Plur.	Thes.	Date
(read\$3 or writ\$3) with mib near object same (error or problem or valid\$5 or verif\$6 or fault)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(password or security near (attribute or value)) with (valid\$5 or verif\$6 or match\$3 or compar\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near request and ((password or security near (attribute or value)) with (valid\$5 or verif\$6 or match\$3 or compar\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near request with (invalid or verif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near request same (invalid or verif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(match\$3 with (attribute or mib or value or managed near information\$2 near object))	PGPB, USPT, USOC, EPAB, JPAB,	OR			12-17-2008

	DWPI, TDBD				
snmp and ((match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(mib or managed near information\$2 near object) and (snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and ((mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
managed adj information adj object and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
managed adj information adj base and (@pd<20030929 and (mib or managed near information\$2 near object) and snmp and (match\$3 with (attribute or mib or value or managed near information\$2 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
match\$3 with (username or password)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp and (match\$3 with (username or password))	PGPB, USPT,	OR			12-17-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
(mib or managed near information\$2 near base) and (snmp and match\$3 with (username or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((valid\$5 or verif\$7) near (snmp or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((valid\$5 or verif\$7) and (snmp near object or managed adj information adj object or mib near object)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and ((managed adj information adj object or mib near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
telnet with ((valid\$5 or verif\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
telnet and ((valid\$5 or verif\$7 or \$4correct) near (attribute or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			12-17-2008

	TDBD				
management near (station or computer or application)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and (management near (station or computer or application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(snmp near object or managed adj information adj object or mib near object) and (((valid\$5 or verif\$7 or \$4correct) near (attribute or password)) and management near (station or computer or application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(management near (station or computer or application)) and ((poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(snmp near object or managed adj information adj object or mib near object) and (management near (station or computer or application) and (poll\$3 or test\$3) with (attribute or password or snmp near object or managed adj information adj object or mib near (values or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
20050251569	PGPB, USPT, USOC,	OR			12-17-2008

	EPAB, JPAB, DWPI, TDBD			
notif\$7 with index	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008
(snmp or mib near object or (get near (message or request))) and (notif\$7 with index)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008
(manag\$6 near information near base or mib near object) with (password or username or user near credential or security near (data or information))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008
(manag\$6 near information near base or mib near object) same (password or username or user near credential)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008
(manag\$6 near information near base or mib near object) same (acl or access adj control adj list)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008
((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR		12-17-2008

@pd<20030929 and (((snmp or get) near (request or message or call)) with (match\$3 or determin\$5 or compar\$4)) same (value or ((mib or snmp) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp and (@pd<20030929 and (((snmp or get) near (request or message or call)) or getnext or getbulk) same ((password or user near credential or username or security near credential) or (((mib or snmp or managed) near object))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
SNMP near (Get near Response) with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
SNMP near (Get near Response) samenotif\$7	PGPB, USPT, USOC, EPAB,	OR			12-17-2008

	JPAB, DWPI, TDBD				
(SNMP near (Get near Response) samenotif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((SNMP or Get) near Response) same notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp and (((SNMP or Get) near Response) same notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((SNMP or Get) near Response) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and (((SNMP or Get) near Response) same (password or credential or username or security))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((password or credential or username or security) near (value or ((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
		OR			12-17-2008

((password or credential or username or security) near (((mib or snmp or managed) near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((look\$1up or search\$3 or find\$3 or determin\$5) near (password or credential or username or security)) same ((mib or snmp or managed) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
index with notif\$7	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((snmp or get) near (request or message or call)) or getnext or getbulk and (index with notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((snmp or get) near (request or message or call)) or getnext or getbulk and (index with notif\$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((mib or snmp or managed) near object) near (value or attribute)) same (password or credential or username or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((mib or snmp or managed) near object) near2 (password or credential or username or security)	PGPB, USPT, USOC, EPAB,	OR			12-17-2008

	JPAB, DWPI, TDBD				
5737518.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
5737518.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((determin\$3 or compar\$4) near (attribute or filed or value)) with ((match\$3 or correspond\$3) near managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(attribute or field or value) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(username or password or securtiy) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(username or password or security) near (match\$3 or correspond\$3) with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
		OR			12-17-2008

(determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
managed adj object and ((determin\$3 or compar\$4) near (username or password or security) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
management near request and (username or password or security) near (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
management near request and (attribute or field or value) near (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
manag\$5 adj object and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((determin\$3 or compar\$4 or match\$3) near (attribute or filed or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(manag\$5 adj object and (username or password or security) near (attribute or field or value)) and (((determin\$3 or compar\$4 or match\$3) near (attribute or filed or value)))	PGPB, USPT, USOC, EPAB,	OR			12-17-2008

	JPAB, DWPI, TDBD				
@pd<20030929 and (manag\$5 adj object and (username or password or security) near (attribute or field or value) and ((determin\$3 or compar\$4 or match\$3) near (attribute or field or value)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
mib and (username or password or security) near (attribute or field or value)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and (mib and (username or password or security) near (attribute or field or value))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
6085237.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
get\$1next and get\$1bulk	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((valid\$5 or verif\$6) near (attribute or field or password or username))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
		OR			12-17-2008

snmp near object and (((valid\$5 or verif\$6) near (attribute or field or password or username))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(get\$1next or get\$1bulk) and (((valid\$5 or verif\$6) near (attribute or field or password or username))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
'5497373'.pn.	USPT	OR			12-17-2008
'5491796'.pn.	USPT	OR			12-17-2008
'5434863'.pn.	USPT	OR			12-17-2008
'5432932'.pn.	USPT	OR			12-17-2008
'5317742'.pn.	USPT	OR			12-17-2008
KOUNDEDE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-17-2008
PUTTV!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-17-2008
PUTTU!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-17-2008
((managed adj device or management adj station) with (notif\$7 near (message or request)))	PGPB, USPT, USOC, EPAB,	OR			12-17-2008

	JPAB, DWPI, TDBD				
((compar\$4 or match\$3 or determin\$3) near (error or fail\$3 or fault or problem)) with (managed adj device or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((compar\$4 or match\$3 or determin\$3) near (security or verif\$6 or password or username)) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(security or verif\$6 or password or username) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
propos\$3 near value with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(correct or propos\$3) near value with managed adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
'5561798'.pn.	USPT	OR			12-17-2008
'5559958'.pn.	USPT	OR			12-17-2008
'5559958'.pn.	USPT	OR			12-17-2008
(username and password) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC,	OR			12-17-2008

	EPAB, JPAB, DWPI, TDBD				
(username and password) with (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(authenticate) near (managed adj (object or device) or management adj station)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((attribute or username or password) near (telnet or ssh or tftp or rcip or snmp or tacacs radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp adj object and (((attribute or username or password) near (telnet or ssh or tftp or rcip or snmp or tacacs radius)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp adj object and (telnet and ssh and tftp and rcip and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(telnet and ssh and tftp and rcip and snmp and tacacs and radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008

varbind near request	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
'6671722'.pn.	USPT	OR			12-17-2008
'6631406'.pn.	USPT	OR			12-17-2008
'6631406'.pn.	USPT	OR			12-17-2008
'6631406'.pn.	USPT	OR			12-17-2008
'6539540'.pn.	USPT	OR			12-17-2008
'6539540'.pn.	USPT	OR			12-17-2008
(snmp near (version or v\$1) near (1 or 2 or 3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near (request or message) and ((snmp near (version or v\$1) near (1 or 2 or 3)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
'20030061480'.pn.	PGPB	OR			12-17-2008
'20020099273'.pn.	PGPB	OR			12-17-2008
'6944183'.pn.	USPT	OR			12-17-2008
'6785728'.pn.	USPT	OR			12-17-2008
'6772226'.pn.	USPT	OR			12-17-2008
'6765900'.pn.	USPT	OR			12-17-2008
verif\$6 near snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008

verif\$6 with snmp near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(ssh or tftp or rep or snmp or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(ssh or tftp or rep or tacacs or radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near object and ((ssh or tftp or rep or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
get\$bulk and (snmp near object and (ssh or tftp or rep or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(security or authenticat\$3) and (snmp near object and (ssh or tftp or rep or tacacs or radius))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and ((security or authenticat\$3) and snmp near object and (ssh or tftp or rep or tacacs or radius))	PGPB, USPT, USOC, EPAB,	OR			12-17-2008

	JPAB, DWPI, TDBD				
(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178 713/179).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(719/311).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(726/23 726/24 726/25 726/26 726/27).cccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/100 707/101 707/102 707/103R 707/103Y 707/103X 707/103Z 707/104.1).cccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219 709/223 709/224 709/225 709/226).cccls.) or ((713/164 713/165 713/166 713/167 713/168 713/169 713/170 713/171 713/172 713/173 713/174 713/175 713/176 713/177 713/178	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008

/713/179).cccls.) or ((719/311).cccls.) or ((726/23 /726/24 /726/25 /726/26 /726/27).cccls.)					
varbind and ((707/1 /707/2 /707/3 /707/4 /707/5 /707/6 /707/7 /707/8 /707/9 /707/10 /707/100 /707/101 /707/102 /707/103R /707/103Y /707/103X /707/103Z /707/104.1).cccls. or (709/201 /709/202 /709/203 /709/204 /709/205 /709/206 /709/207 /709/217 /709/218 /709/219 /709/223 /709/224 /709/225 /709/226).cccls. or (713/164 /713/165 /713/166 /713/167 /713/168 /713/169 /713/170 /713/171 /713/172 /713/173 /713/174 /713/175 /713/176 /713/177 /713/178 /713/179).cccls. or (719/311).cccls. or (726/23 /726/24 /726/25 /726/26 /726/27).cccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp near (object or mib) and ((707/1 /707/2 /707/3 /707/4 /707/5 /707/6 /707/7 /707/8 /707/9 /707/10 /707/100 /707/101 /707/102 /707/103R /707/103Y /707/103X /707/103Z /707/104.1).cccls. or (709/201 /709/202 /709/203 /709/204 /709/205 /709/206 /709/207 /709/217 /709/218 /709/219 /709/223 /709/224 /709/225 /709/226).cccls. or (713/164 /713/165 /713/166 /713/167 /713/168 /713/169 /713/170 /713/171 /713/172 /713/173 /713/174 /713/175 /713/176 /713/177 /713/178 /713/179).cccls. or (719/311).cccls. or (726/23 /726/24 /726/25 /726/26 /726/27).cccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(snmp near (object or mib) and ((707/1 /707/2 /707/3 /707/4 /707/5 /707/6 /707/7 /707/8 /707/9 /707/10 /707/100 /707/101 /707/102 /707/103R /707/103Y /707/103X /707/103Z /707/104.1).cccls. or (709/201 /709/202 /709/203 /709/204 /709/205 /709/206 /709/207 /709/217 /709/218 /709/219 /709/223 /709/224 /709/225 /709/226).cccls. or (713/164 /713/165 /713/166 /713/167 /713/168 /713/169 /713/170 /713/171 /713/172 /713/173 /713/174 /713/175 /713/176 /713/177 /713/178 /713/179).cccls. or (719/311).cccls. or (726/23 /726/24 /726/25 /726/26 /726/27).cccls.) and ((determin\$3 or match\$3 or compar\$5) near(attribute or field or password or username))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
6757901.pn.	PGPB, USPT, USOC, EPAB, JPAB,	OR			12-17-2008

	DWPI, TDBD				
management near (query or request) same ((compar\$4 or test\$3 or determin\$3) near (error or correct\$4 or fail\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
management near (query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(query or request) same ((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
((error or correct\$4 or fail\$3) near (manag\$6 near object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
@pd<20030929 and (((error or correct\$4 or fail\$3) near (manag\$6 near object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
(manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
snmp and ((manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near	PGPB, USPT,	OR			12-17-2008

(message or request)))	USOC, EPAB, JPAB, DWPI, TDBD				
(username or password) and (snmp and (manag\$6 near information near base or mib near object) and (getnext or getbulk or snmp near get near (message or request)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-17-2008
managed near object with (password or username) same (ssh or telnet tftp or rcp or snmp or tacacs radius)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		12-17-2008
managed near object with (password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(incorrect or "not" near correct) near (attribute or value) with (password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(incorrect or "not" near correct) near (attribute or value) with (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(incorrect or "not" near correct) near (attribute or value) same (managed adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR	NO		12-17-2008

	TDBD				
(attribute or value) near (password or username)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(attribute or value) near (match\$3 or compar\$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
((attribute or value) near (password or username)) and ((attribute or value) near (match\$3 or compar\$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
snmp and ((attribute or value) near (password or username) and (attribute or value) near (match\$3 or compar\$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(match\$3 or compar\$5) with (community near (string or name or id or identif\$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(match\$3 or compar\$5) with ((managed near object) near (security or crendtial or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
((managed near object) near (security or crendtial or password))	PGPB, USPT, USOC,	OR	NO		12-17-2008

	EPAB, JPAB, DWPI, TDBD				
((managed near object) with (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(match\$3 or compar\$5) with ((managed near object) with (security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
(deny\$3 or reject\$3 or permit\$5) with ((attribute or managed near object or security or credential or password))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
snmp near request and (((deny\$3 or reject\$3 or permit\$5) with ((attribute or managed near object or security or credential or password)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
correct\$4 with (attribute or values or community near string)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
snmp near request and (correct\$4 with (attribute or values or community near string))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008

correct\$4 same community near string	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
\$3correct\$4 same community near string	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008
community near string with (password or verif\$3 or security)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		12-17-2008